

Run Click

Technical Data



ITC

CIC

Run Click | Features and Accessories

	ITC / CIC
Audiology	
Signal processing (channels) / Gain/MPO (handles)	8 / 4
Hearing programs (pre-configured sound profiles)	6
SpeechMaster	—
HD Music (presets)	—
TwinPhone¹⁾	—
EchoShield	—
Wireless CROS/BICROS²⁾	—
Directionality (channels)	—
Narrow Directionality¹⁾	—
Directional microphone	—
Spatial SpeechFocus¹⁾	—
SpeechFocus	—
TruEar™	—
Frequency compression	—
Extended bandwidth	—
Feedback cancellation	●
eWindScreen binaural¹⁾	—
eWindScreen™ (steps)	—
Noise Reduction (channels / steps)	—
Speech and noise management (steps)	●
SoundSmoothing™ (steps)	—
Directional speech enhancement (steps)	—
Adaptive streaming volume³⁾	—
SoundBrilliance™ ³⁾	—
Sound equalizer (classes)	—
Spatial Configurator¹⁾	—
Span⁴⁾	—
Direction⁵⁾	—
SoundBalance	● *)
Fitting	
Insitugram	—
Learning (classes) / Data logging	— / —
Acclimatization manager	—
Tinnitus	
Tinnitus noiser	
Static therapy signal (handles / presets)	—
Ocean Waves therapy signal (presets)	—

*) adjustable via MobileFitting App

Run Click | Features and Accessories

	ITC	CIC
Style Specific Features		
Ingress Protection Rating	—	—
Telecoil	—	—
AutoPhone™	—	—
Charging contacts	—	—
Battery Size	312	10
Battery door on/off function	●	●
Nanocoated housing	—	—
e2e wireless™ 3.0	—	—
Audio streaming	—	—
User controls coupling via e2e	—	—
Wireless programming via ConnexxLink™	—	—
Instrument configurations		
Flat cover	—	—
Volume wheel	—	—
Push button	—	—
Rocker switch	—	—
Color conversion kit	—	—
Battery door – direct audio input	—	—
Battery door – child lock	—	—
Accessories		
miniPocket	—	—
CROS Pure	—	—
eCharger	—	—
easyPocket™	—	—
easyTek	—	—
TV Transmitter (req. easyTek)	—	—
Transmitter (req. easyTek)	—	—
VoiceLink™ (req. easyTek)	—	—
App		
MobileFitting App	○	○
easyTek App (req. easyTek)	—	—
touchControl App	○	○

● available ■■■■■ highest feature performance ○ optional — not available

¹⁾ req. bilateral fitting and e2e™ 3.0

²⁾ req. CROS Pure accessory

³⁾ streaming only, req. easyTek™

⁴⁾ req. easyTek & easyTek App, touchControl App or rocker switch

⁵⁾ req. easyTek & easyTek App or touchControl App

Run P / SP

Technical Data



Run P

Run SP

Run P / SP | Features and Accessories

	Run P	Run SP
Audiology		
Signal processing (channels) / Gain/MPO (handles)	8 / 4	8 / 4
Hearing programs (pre-configured sound profiles)	6	6
SpeechMaster	—	—
HD Music (presets)	—	—
TwinPhone¹⁾	—	—
EchoShield	—	—
Wireless CROS/BICROS²⁾	—	—
Directionality (channels)	8	—
Narrow Directionality¹⁾	—	—
Directional microphone	—	—
Spatial SpeechFocus¹⁾	—	—
SpeechFocus	—	—
TruEar™	—	—
Frequency compression	—	—
Extended bandwidth	—	—
Feedback cancellation	●	●
eWindScreen binaural¹⁾	—	—
eWindScreen™ (steps)	—	—
Noise Reduction (channels / steps)	—	—
Speech and noise management (steps)	●	●
SoundSmoothing™ (steps)	—	—
Directional speech enhancement (steps)	—	—
Adaptive streaming volume³⁾	—	—
SoundBrilliance™ ³⁾	—	—
Sound equalizer (classes)	—	—
Spatial Configurator¹⁾	—	—
Span⁴⁾	—	—
Direction⁵⁾	—	—
SoundBalance	● *)	● *)
Fitting		
Insitugram	—	—
Learning (classes) / Data logging	— / —	— / —
Acclimatization manager	—	—
Tinnitus		
Tinnitus noiser		
Static therapy signal (handles / presets)	—	—
Ocean Waves therapy signal (presets)	—	—

*) adjustable via MobileFitting App

Run P / SP | Features and Accessories

	Run P	Run SP
Style Specific Features		
Ingress Protection Rating	—	—
Telecoil	—	—
AutoPhone™	—	—
Charging contacts	—	—
Battery Size	13	675
Battery door on/off function	●	●
Nanocoated housing	●	●
e2e wireless™ 3.0	—	—
Audio streaming	—	—
User controls coupling via e2e	—	—
Wireless programming via ConnexxLink™	—	—
Instrument configurations		
Flat cover	—	—
Volume wheel	—	—
Push button	—	—
Rocker switch	●	●
Color conversion kit	—	—
Battery door – direct audio input	—	—
Battery door – child lock	—	—
Accessories		
miniPocket	—	—
CROS Pure	—	—
eCharger	—	—
easyPocket™	—	—
easyTek	—	—
TV Transmitter (req. easyTek)	—	—
Transmitter (req. easyTek)	—	—
VoiceLink™ (req. easyTek)	—	—
App		
MobileFitting App	●	●
easyTek App (req. easyTek)	—	—
touchControl App	○	○

● available ■■■■■ highest feature performance ○ optional — not available

¹⁾ req. bilateral fitting and e2e™ 3.0

²⁾ req. CROS Pure accessory

³⁾ streaming only, req. easyTek™

⁴⁾ req. easyTek & easyTek App, touchControl App or rocker switch

⁵⁾ req. easyTek & easyTek App or touchControl App